## Contents of Volume 56

*Vol. 56, No. 1 September (I) 2004*

*Review article*

**Recent advances in chlorophyll biosynthesis and breakdown in higher plants**
U. Eckhardt, B. Grimm, S. Hörtensteiner 1–14

*Regular articles*

**Bax-induced cell death of *Arabidopsis* is meditated through reactive oxygen-dependent and -independent processes**
D. Baek, J. Nam, Y.D. Koo, D.H. Kim, J. Lee, J.C. Jeong, S.-S. Kwak, W.S. Chung, C.O. Lim, J.D. Bahk, J.C. Hong, S.Y. Lee, M. Kawai-Yamada, H. Uchimiya, D.-J. Yun 15–27

**Monitoring the expression profiles of genes induced by hyperosmotic, high salinity, and oxidative stress and abscisic acid treatment in Arabidopsis cell culture using a full-length cDNA microarray**
S. Takahashi, M. Seki, J. Ishida, M. Satou, T. Sakurai, M. Narusaka, A. Kamiya, M. Nakajima, A. Enju, K. Akiyama, K. Yamaguchi-Shinozaki, K. Shinozaki 29–55

**Plant class B HSFs inhibit transcription and exhibit affinity for TFIIB and TBP**
E. Czarnecka-Verner, S. Pan, T. Salem, W.B. Gurley 57–75

**Mitochondrial cytochrome *c* oxidase and succinate dehydrogenase complexes contain plant specific subunits**
A.H. Millar, H. Eubel, L. Jänsch, V. Kruft, J.L. Heazlewood, H.-P. Braun 77–90

**Temporally regulated expression of a yeast invertase in potato tubers allows dissection of the complex metabolic phenotype obtained following its constitutive expression**
B.H. Junker, R. Wuttke, A. Tiessen, P. Geigenberger, U. Sonnewald, L. Willmitzer, A.R. Fernie 91–110

**Arabidopsis mutants that suppress the phenotype induced by transgene-mediated expression of cauliflower mosaic virus (CaMV) gene VI are less susceptible to CaMV-infection and show reduced ethylene sensitivity**
C. Geri, A.J. Love, E. Cecchini, S.J. Barrett, J. Laird, S.N. Covey, J.J. Milner 111–124

**The *Chlamydomonas reinhardtii* proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-$CO_2$ environment**
S.V. Pollock, D.L. Prout Jr, A.C. Godfrey, S.D. Lemaire, J.V. Moroney 125–132

**Ectopic expression of *OsYAB1* causes extra stamens and carpels in rice**
S. Jang, J. Hur, S.-J. Kim, M.-J. Han, S.-R. Kim, G. An 133–143

**Analysis of the *S*-locus structure in *Prunus armeniaca* L. Identification of *S*-haplotype specific *S-RNase* and *F-box* genes**
C. Romero, S. Vilanova, L. Burgos, J. Martínez-Calvo, M. Vicente, G. Llácer, M.L. Badenes 145–157

*Vol. 56, No. 2 September (II) 2004*

**Photoperiodic regulation of flowering in perennial ryegrass involving a *CONSTANS*-like homolog**
J. Martin, M. Storgaard, C.H. Andersen, K.K. Nielsen 159–169

**Arabidopsis E2Fa plays a bimodal role in regulating cell division and cell growth**
S.S. He, J. Liu, Z. Xie, D. O'Neill, S. Dotson 171–184

***Arabidopsis* constitutive photomorphogenic mutant, *bls1*, displays altered brassinosteroid response and sugar sensitivity**
A. Laxmi, L.K. Paul, J.L. Peters, J.P. Khurana 185–201

**Stable transformation of the cotton plastid genome and maternal inheritance of transgenes**
S. Kumar, A. Dhingra, H. Daniell 203–216

**The *atspo11-1* mutation rescues *atxrcc3* meiotic chromosome fragmentation**
J.-Y. Bleuyard, M.E. Gallego, C.I. White 217–224

**Identification of a novel plant MAR DNA binding protein localized on chromosomal surfaces**
S. Fujimoto, S. Matsunaga, M. Yonemura, S. Uchiyama, T. Azuma, K. Fukui 225–239

**Genetic analysis of cold-tolerance of photosynthesis in maize**
Y. Fracheboud, C. Jompuk, J.M. Ribaut, P. Stamp, J. Leipner 241–253

**MYB transcription factors are differentially expressed and regulated during secondary vascular tissue development in hybrid aspen**
B. Karpinska, M. Karlsson, M. Srivastava, A. Stenberg, J. Schrader, F. Sterky, R. Bhalerao, G. Wingsle 255–270

**Activation of hypersensitive cell death by pathogen-induced receptor-like protein kinases from *Arabidopsis***
K. Chen, B. Fan, L. Du, Z. Chen 271–283

**Functional analyses of the chitin-binding domains and the catalytic domain of *Brassica juncea* chitinase BjCHI1**
C.M. Tang, M.-L. Chye, S. Ramalingam, S.-W. Ouyang, K.-J. Zhao, W. Ubhayasekera, S.L. Mowbray 285–298

**Association of diamine oxidase and *S*-adenosylhomocysteine hydrolase in *Nicotiana tabacum* extracts**
W.G. Heim, J.G. Jelesko 299–308

**Root cap specific expression of an endo-$\beta$-1,4-D-glucanase (cellulase): a new marker to study root development in *Arabidopsis***
E.D. Campillo, A. Abdel-Aziz, D. Crawford, S.E. Patterson 309–323

*Vol. 56, No. 3 October (II) 2004*

**Vacuolar $H^+$-translocating inorganic pyrophosphatase (Vpp1) marks partial aleurone cell fate in cereal endosperm development**
J.-P. Wisniewski, P.M. Rogowsky 325–337

**Involvement of the *Arabidopsis thaliana AtPMS1* gene in somatic repeat instability**
A.H. Alou, A. Azaiez, M. Jean, F.J. Belzile 339–349

**Transcript profiling of transcription factor genes during silique development in *Arabidopsis***
S. de Folter, J. Busscher, L. Colombo, A. Losa, G.C. Angenent 351–366

**Differential expression profiles of growth-related genes in the elongation zone of maize primary roots**
M. Bassani, P.M. Neumann, S. Gepstein 367–380

***Germin-like protein* gene family of a moss, *Physcomitrella patens*, phylogenetically falls into two characteristic new clades**
M. Nakata, Y. Watanabe, Y. Sakurai, Y. Hashimoto, M. Matsuzaki, Y. Takahashi, T. Satoh 381–395

**Lateral roots affect the proteome of the primary root of maize (*Zea mays* L.)**
F. Hochholdinger, L. Guo, P.S. Schnable 397–412

**Cloning and functional characterization of the high-affinity $K^+$ transporter HAK1 of pepper**
M.A. Martínez-Cordero, V. Martínez, F. Rubio 413–421

**Expression of α-expansin genes during root acclimations to $O_2$ deficiency in *Rumex palustris***
T.D. Colmer, A.J.M. Peeters, C.A.M. Wagemaker, W.H. Vriezen, A. Ammerlaan, L.A.C.J. Voesenek 423–437

**Organization, differential expression and methylation of rDNA in artificial *Solanum* allopolyploids**
N.Y. Komarova, T. Grabe, D.J. Huigen, V. Hemleben, R. A. Volkov 439–463

**Comparative Map and Trait Viewer (CMTV): an integrated bioinformatic tool to construct consensus maps and compare QTL and functional genomics data across genomes and experiments**
M.C. Sawkins, A.D. Farmer, D. Hoisington, J. Sullivan, A. Tolopko, Z. Jiang, J.-M. Ribaut 465–480

*Vol. 56, No. 4 November (I) 2004*

***Special issue:***
Cassava Molecular Research

***Guest editors:***
Claude Fauquet, Hernán Ceballos and Peng Zhang

*Editorial*
**The Global Cassava Partnership for Genetic Improvement** v–x

**Cassava biology and physiology**
M.A. El-Sharkawy 481–501

**Cassava breeding: opportunities and challenges**
H. Ceballos, C.A. Iglesias, J.C. Pérez, A.G.O. Dixon 503–516

**SNPs, SSRs and inferences on cassava's origin**
K.M. Olsen 517–526

**An EST resource for cassava and other species of Euphorbiaceae**
J.V. Anderson, M. Delseny, M.A. Fregene, V. Jorge, C. Mba, C. Lopez, S. Restrepo, M. Soto, B. Piegu, V. Verdier, R. Cooke, J. Tohme, D.P. Horvath 527–539

**A unigene catalogue of 5700 expressed genes in cassava**
C. Lopez, V. Jorge, B. Piégu, C. Mba, D. Cortes, S. Restrepo, M. Soto, M. Laudié, C. Berger, R. Cooke, M. Delseny, J. Tohme, V. Verdier 541–554

**Bacterial artificial chromosome (BAC) library resource for positional cloning of pest and disease resistance genes in cassava (*Manihot esculenta* Crantz)**
J. Tomkins, M. Fregene, D. Main, H. Kim, R. Wing, J. Tohme 555–561

**Serial analysis of gene expression (SAGE) of host–plant resistance to the cassava mosaic disease (CMD)**
M. Fregene, H. Matsumura, A. Akano, A. Dixon, R. Terauchi 563–571

**Recent progress in the characterization of molecular determinants in the *Xanthomonas axonopodis* pv. *manihotis*–cassava interaction**
V. Verdier, S. Restrepo, G. Mosquera, V. Jorge, C. Lopez 573–584

**Cassava mosaic geminiviruses in Africa**
J.P. Legg, C.M. Fauquet 585–599

**Broad Spectrum Resistance to ssDNA Viruses Associated with Transgene-Induced Gene Silencing in Cassava**
P. Chellappan, M.V. Masona, R. Vanitharani, N.J. Taylor, C.M. Fauquet 601–611

**A geminivirus-induced gene silencing system for gene function validation in cassava**
I.B.F. Fofana, A. Sangaré, R. Collier, C. Taylor, C.M. Fauquet 613–624

**Oxidative stress responses during cassava post-harvest physiological deterioration**
K. Reilly, R. Gómez-Vásquez, H. Buschmann, J. Tohme, J.R. Beeching 625–641

**Identification and characterization of a novel cassava (*Manihot esculenta* Crantz) clone with high free sugar content and novel starch**
L.J. Castelo, B. Carvalho, C. Regina, B. de Souza, J. César de Mattos Cascardo, C. B. Junior, L. Campos 643–659

**Engineering cyanogen synthesis and turnover in cassava (*Manihot esculenta*)**
D. Siritunga, R. Sayre 661–669

**Development and application of transgenic technologies in cassava**
N. Taylor, P. Chavarriaga, K. Raemakers, D. Siritunga, P. Zhang 671–688

*Vol. 56, No. 5 November (I) 2004*

**Gene cloning and characterization of a soybean (*Glycine max* L.) LEA protein, GmPM16**
M.-D. Shih, S.-C. Lin, J.-S. Hsieh, C.-H. Tsou, T.-Y. Chow, T.-P. Lin, Y.-I.C. Hsing 689–703

**Allelic characterization of the leaf-variegated mutation *var2* identifies the conserved amino acid residues of FtsH that are important for ATP hydrolysis and proteolysis**
W. Sakamoto, E. Miura, Y. Kaji, T. Okuno, M. Nishizono, T. Ogura 705–716

**Altered expression of an ankyrin-repeat protein results in leaf abnormalities, necrotic lesions, and the elaboration of a systemic signal**
C. Wirdnam, A. Motoyama, E. Arn-Bouldoires, S. Van Eeden, A. Iglesias, F. Meins 717–730

**A gymnosperm *ABI3* gene functions in a severe abscisic acid-insensitive mutant of *Arabidopsis* (*abi3-6*) to restore the wild-type phenotype and demonstrates a strong synergistic effect with sugar in the inhibition of post-germinative growth**
Y. Zeng, A.R. Kermode 731–746

**AKINβ3, a plant specific SnRK1 protein, is lacking domains present in yeast and mammals non-catalytic β-subunits**
L. Gissot, C. Polge, J.-P. Bouly, T. Lemaitre, M. Kreis, M. Thomas 747–759

**The *Fed-1* $(CAUU)_4$ element is a 5′ UTR dark-responsive mRNA instability element that functions independently of dark-induced polyribosome dissociation**
S. Bhat, L. Tang, A.D. Krueger, C.L. Smith, S.R. Ford, L.F. Dickey, M.E. Petracek 761–773

**The *Arabidopsis KLUNKER* gene controls cell shape changes and encodes the AtSRA1 homolog**
R. Saedler, I. Zimmermann, M. Mutondo, M. Hülskamp 775–782

**Toward a blueprint for UDP-glucose pyrophosphorylase structure/function properties: homology-modeling analyses**
M. Geisler, M. Wilczynska, S. Karpinski, L.A. Kleczkowski 783–794

**Characterization of the genomic structures and selective expression profiles of nine class I small heat shock protein genes clustered on two chromosomes in rice (*Oryza sativa* L.)**
J.-C. Guan, T.-L. Jinn, C.-H. Yeh, S.-P. Feng, Y.-M. Chen, C.-Y. Lin 795–809

**A fragment of chloroplast DNA was transferred horizontally, probably from non-eudicots, to mitochondrial genome of *Phaseolus***
M. Woloszynska, T. Bocer, P. Mackiewicz, H. Janska 811–820

**Functional conservation and maintenance of expression pattern of *FIDDLEHEAD*-like genes in Arabidopsis and Antirrhinum**
N. Efremova, L. Schreiber, S. Bär, I. Heidmann, P. Huijser, K. Wellesen, Z. Schwarz-Sommer, H. Saedler, A. Yephremov 821–837

*Vol. 56, No. 6 December 2004*

**Announcement** v

**Characterization of fructose-bisphosphate aldolase regulated by gibberellin in roots of rice seedling**
H. Konishi, H. Yamane, M. Maeshima, S. Komatsu 839–848

**Molecular characterization of a *WEE1* gene homologue in tomato (*Lycopersicon esculentum* Mill.)**
N. Gonzalez, M. Hernould, F. Delmas, F. Gévaudant, P. Duffe, M. Causse, A. Mouras, C. Chevalier 849–861

**Ammonium transporter genes in Chlamydomonas: the nitrate-specific regulatory gene *Nit2* is involved in *Amt1*;1 expression**
D. González-Ballester, A. Camargo, E. Fernández 863–878

**Isolation of candidate genes for apomixis in *Poa pratensis* L.**
E. Albertini, G. Marconi, G. Barcaccia, L. Raggi, M. Falcinelli 879–894

**Ectopic expression of a soybean phytase in developing seeds of *Glycine max* to improve phosphorus availability**
J.M. Chiera, J.J. Finer, E.A. Grabau 895–904

**Promotion of photomorphogenesis by COP1**
H.E. Boccalandro, M.C. Rossi, Y. Saijo, X.-W. Deng, J.J. Casal 905–915

**A root-specific condensing enzyme from *Lesquerella fendleri* that elongates very-long-chain saturated fatty acids**
H. Moon, G. Chowrira, O. Rowland, B.J. Blacklock, M.A. Smith, L. Kunst 917–927

**Genome-wide analysis of *S*-Locus F-box-like genes in *Arabidopsis thaliana***
L. Wang, L. Dong, Y. Zhang, Y. Zhang, W. Wu, X. Deng, Y. Xue 929–945

**Gamma carbonic anhydrase like complex interact with plant mitochondrial complex I**
M. Perales, G. Parisi, M.S. Fornasari, A. Colaneri, F. Villarreal, N. González-Schain, J. Echave, D. Gómez-Casati, H.-P. Braun, A. Araya, E. Zabaleta 947–957

**Functional and regulatory analysis of the *Arabidopsis thaliana* CAX2 cation transporter**
J.K. Pittman, T. Shigaki, J.L. Marshall, J.L. Morris, N.-H. Cheng, K.D. Hirschi 959–971

**A hypersensitive response-induced ATPase associated with various cellular activities (AAA) protein from tobacco plants**
M. Sugimoto, Y. Yamaguchi, K. Nakamura, Y. Tatsumi, H. Sano 973–985

**Instructions for authors** 987–990

**Volume contents** 991–996

**Author index** 997–998